

Tire Chart

Section 1
Passenger and Light Trucks
Pg. 2-4

Section 2
Highway Trucks and Busses
Pg. 5-6

Section 3
Main Chart
(Industrial, Mining/Logging,
Agricultural, etc.)
Pg. 7-15

Section 4
All Terrain Vehicles
Pg. 16

Section 5
Motorcycles and Scooters
Pg. 17-18

Section 6
Bicycles
Pg. 19

Tires are organized by rim size which is the last number in a tire designation.

For example,
a P205/70R16 is a tire for a
16 inch rim.

For special applications, technical
support, or general questions
call (800) 346-9090
www.ultraseal.com
tirelife@ultraseal.com

Passenger and Light Truck

Rims 10" - 14"

	Ozs.	Liters		Ozs.	Liters		Ozs.	Liters
10" Rims			155/65-13	8	0.24	(P, LT)205/70R14	13	0.37
135/95-10LT	6	0.18	P165/65R13	9	0.26	(P, LT)215/70R14	14	0.40
145/95-10LT	7	0.21	175/65-13	10	0.28	P225/70R14	14	0.42
135/80-10	5	0.15	185/65-13	10	0.31	P235/70R14	15	0.46
145/80-10	6	0.17	P195/65R13	11	0.34	P245/70R14	16	0.48
155/65-10LT	6	0.19	155/60-13	8	0.24	P165/65R14	9	0.28
145-10LT	6	0.19	165/60-13	9	0.25	P175/65R14	10	0.30
5.00-10LT	6	0.19	175/60-13	9	0.27	P185/65R14	11	0.32
5.20-10	6	0.18	P185/60R13	10	0.30	P195/65R14	12	0.35
12" Rims			P195/60R13	11	0.32	205/65-14	13	0.38
135/95-12LT	7	0.20	P205/60R13	12	0.35	P215/65R14	14	0.41
145/95-12LT	8	0.23	P215/60R13	13	0.37	165/60R14	9	0.26
135/80-12	6	0.17	P235/60R13	14	0.42	P175/60R14	10	0.29
P145/80R12	7	0.20	185/55-13	9	0.26	P185/60R14	11	0.31
P155/80R12	7	0.22	195/55-13	11	0.33	P195/60R14	12	0.34
145/70-12	7	0.20	145R13	7	0.21	P205/60R14	12	0.36
155/70-12	7	0.22	155R13	8	0.23	P215/60R14	13	0.39
P165/70(R, D)12	8	0.24	155-13LT	8	0.23	P225/60R14	14	0.41
175/70-12	9	0.26	165R13	9	0.25	P235/60R14	15	0.45
155/65-12	8	0.22	165-13LT	9	0.26	P245/60R14	16	0.47
165/60-12	8	0.24	175R13	9	0.28	P255/60R14	17	0.50
145-12LT	7	0.20	5.50-13LT	8	0.24	P265/60R14	18	0.54
155R12	7	0.22	5.60-13	8	0.24	P275/60R14	19	0.56
155-12LT	7	0.22	6.00-13LT	10	0.28	155/55-14	9	0.25
5.50-12	7	0.20	6.15-13	8	0.25	185/55-14	11	0.33
5.65-12	7	0.19	6.45-13	9	0.27	195/55-14	12	0.35
13" Rims			7.00-13	13	0.38	P205/55R14	12	0.36
155/95-13LT	9	0.27	13.5" Rims			205/55-14	13	0.38
165/95-13LT	10	0.29	175/60-13.5LT	9	0.28	P255/55R14	17	0.49
135/80-13	6	0.18	14" Rims			145R14	7	0.22
P145/80(R, D)13	7	0.21	165/95-14LT	10	0.31	155R14	8	0.24
P155/80R13	8	0.23	175/95-14LT	11	0.34	165R14	9	0.27
P165/80R13	8	0.25	P165/80(R, D)14	9	0.26	165-14LT	9	0.27
P175/80R13	9	0.28	P175/80(R, D)14	10	0.29	175R14	10	0.29
P185/80R13	10	0.30	P185/80(R, D)14	11	0.31	175-14LT	10	0.29
P165/75(R, D)13	8	0.24	195/80-14	12	0.34	185R14	11	0.32
P175/75(R, D)13	9	0.27	205/80-14	12	0.36	185-14LT	11	0.32
P185/75(R, D)13	10	0.29	(P, LT)175/75R14	10	0.28	195-14LT	12	0.35
145/70R13	7	0.21	(P, LT)185/75R14	10	0.30	5.5-14LT	9	0.27
P155/70R13	8	0.23	(P, LT)195/75R14	11	0.33	6.00-14LT	10	0.29
P165/70R13	9	0.26	P205/75R14	12	0.35	6.40-14	10	0.30
P175/70R13	9	0.28	(P, LT)215/75R14	13	0.38	6.45-14	10	0.29
P185/70R13	10	0.30	P225/75R14	14	0.40	6.50-14LT	11	0.32
P195/70R13	11	0.33	P175/70R14	10	0.29	6.95-14	11	0.32
P205/70R13	12	0.35	P185/70R14	11	0.32	7.00-14LT	11	0.32
145/65-13	7	0.22	P195/70R14	12	0.35	7.90-14LT	12	0.35

Passenger and Light Truck

Rims 14" - 16"

	Ozs.	Liters		Ozs.	Liters		Ozs.	Liters
8.00-14	13	0.38	P235/65R15	16	0.48	12.10-15	26	0.76
8.50-14LT	13	0.38	LT245/65-15	17	0.51	L78-15LT	16	0.47
11.00-14LT	19	0.55	P255/65R15	19	0.55	28x8.5-15	14	0.41
26x8.50R14LT	12	0.36	P295/65R15	23	0.68	29x9.50R15LT	15	0.46
27x8.50R14LT	13	0.38	P185/60R15	11	0.33	30x9.50R15LT	16	0.48
14.5" Rims			P195/60R15	12	0.36	31x10.50R15LT	19	0.55
205/60-14.5LT	12	0.36	P195/60R15	12	0.35	31x11.50R15LT	20	0.60
7.00-14.5LT	11	0.33	P205/60R15	13	0.38	31x12.50R15LT	22	0.65
8-14.5LT	13	0.38	P215/60R15	14	0.41	32x11.50R15LT	21	0.62
9-14.5LT	15	0.45	P225/60R15	15	0.43	32x12.5-15LT	25	0.75
15" Rims			P235/60R15	16	0.47	33x9.50R15LT	18	0.53
P155/80(R, D)15	9	0.25	P245/60R15	17	0.49	33x10.50R15LT	20	0.59
P165/80(R, D)15	9	0.28	P255/60R15	18	0.52	33x12.50R15LT	24	0.70
175/80-15, (LT)	10	0.30	P265/60R15	19	0.56	35x12.50R15LT	25	0.75
185/80-15LT	11	0.32	P275/60R15	20	0.58	36x14.50R15LT	27	0.78
P195/80(R, D)15	12	0.36	P295/60R15	22	0.65	37x12.50R15LT	27	0.79
LT215/80R15	14	0.41	P315/60R15	25	0.73	37x14.50-15	32	0.93
225/80-15	15	0.44	LT325/60R15	26	0.76	15.5" Rims		
185/75-15LT	11	0.31	185/55R15	12	0.34	185/70-15.5LT	11	0.31
(P, LT)195/75R15	12	0.34	P195/55R15	12	0.36	195/70-15.5LT	12	0.36
(P, LT)205/75R15	12	0.37	P205/55R15	13	0.40	215/60-15.5LT	14	0.40
(P, LT)215/75R15	13	0.40	205/55R15	14	0.41	16" Rims		
(P, LT)225/75R15	14	0.42	215/55-15	14	0.43	185/85-16LT	12	0.35
(P, LT)235/75R15	15	0.45	P225/55R15	15	0.45	195/85-16LT	13	0.38
P245/75R15	17	0.49	P255/55R15	18	0.54	205/85-16LT	14	0.40
LT255/75-15	17	0.51	275/55-15	20	0.60	LT215/85R16	15	0.44
(P, LT)265/75R15	19	0.55	P345/55R15	29	0.86	225/85-16LT	16	0.47
P175/70R15	10	0.30	125R15	7	0.20	LT235/85R16	17	0.50
P185/70R15	11	0.33	135R15	8	0.22	LT255/85R16	19	0.57
P195/70R15, (LT)	12	0.36	155R15	9	0.27	P155/80-16	9	0.27
P205/70R15	13	0.39	165R15	10	0.30	175/80-16	11	0.32
205/70-15LT	13	0.38	165-15LT	10	0.30	195/80-16	12	0.37
P215/70R15	14	0.42	195-15LT	12	0.35	205/80-16	13	0.39
P225/70R15	15	0.44	205-15LT	13	0.38	205/75-16	13	0.38
P235/70R15	16	0.48	215-15LT	14	0.41	P215/75R16	14	0.41
(P, LT)245/70R15	17	0.50	5.60-15	9	0.25	(P, LT)225/75R16	15	0.44
(P, LT)255/70R15	18	0.54	6.00-15LT	10	0.31	P235/75R16	16	0.47
(P, LT)265/70R15	19	0.57	6.50-15LT	12	0.35	(P, LT)245/75R16	17	0.51
P275/70R15	20	0.60	6.70-15LT, 6.70R15LT	12	0.36	(P, LT)265/75R16	19	0.57
(P, LT)285/70R15	22	0.64	7.00-15LT, 7.00R15LT	14	0.40	LT285/75R16	22	0.64
LT315/70R15	25	0.75	7.10-15LT	13	0.39	LT295/75R16	23	0.67
P185/65R15	12	0.34	7.50-15LT	16	0.46	LT315/75R16	25	0.74
P195/65R15	13	0.37	9.00-15LT	17	0.50	195/70-16LT	12	0.37
P205/65R15	13	0.39	10R15LT	12	0.36	205/70-16LT	13	0.39
P215/65R15	14	0.43	11.00-15LT	19	0.58	205/70-16	14	0.40
225/65-15	15	0.45	12.00-15LT	24	0.70	(P, LT)215/70R16	15	0.44

Passenger and Light Truck

Rims 16" - 24.5"

	Ozs.	Liters		Ozs.	Liters		Ozs.	Liters
215/70-16	15	0.44	10.00-16.5LT, 10.00R16.5LT	18	0.53	215/70-17.5LT	15	0.44
(P, LT)225/70R16	16	0.46	12.00-16.5LT, 12.00R16.5LT	23	0.67	195/60-17.5LT	13	0.39
225/70-16	16	0.46	31x10.5R16.5LT	19	0.55	205/60-17.5LT	14	0.41
(P, LT)235/70R16	17	0.49	33x12.5R16.5LT	24	0.71	225/60-17.5LT	16	0.48
(P, LT)245/70R16	18	0.52	35x12.5-16.5LT	26	0.76	7-17.5LT	13	0.38
(P, LT)255/70R16	19	0.56	36x12.5-16.5LT	26	0.78	8-17.5LT	14	0.42
(P, LT)265/70R16	20	0.60	37x14.5-16.5	31	0.92	37x12.5-17.5	32	0.94
(P, LT)275/70R16	21	0.62	17" Rims			18" Rims		
LT305/70R16	25	0.73	LT235/80R17	19	0.57	195/85-18LT	15	0.44
LT315/70R16	26	0.78	P255/75R17	21	0.62	215/85-18LT	17	0.50
195/65-16LT	13	0.40	(P, LT)245/70R17	19	0.57	T155/80-18	9	0.28
P205/65R16, (LT)	14	0.41	(P, LT)265/70R17	22	0.65	P255/70R18	20	0.60
P215/65R16	15	0.45	LT275/70R17	23	0.68	P265/70R18	22	0.64
P225/65R16	16	0.47	LT285/70R17	25	0.73	P235/65R18	18	0.54
P235/65R16	17	0.50	LT305/70R17	27	0.81	P275/65R18	23	0.68
P255/65R16	19	0.57	LT315/70R17	29	0.85	LT285/65R18	24	0.72
255/65-16	19	0.57	P225/65R17	17	0.49	P225/60R18	13	0.39
P265/65R16	20	0.61	P235/65R17	18	0.52	P245/60R18	19	0.55
P275/65R16	21	0.63	(P, LT)245/65R17	19	0.55	P265/60R18	21	0.63
P285/65R16	23	0.68	P255/65R17	20	0.59	P275/60R18	22	0.65
P295/65R16	24	0.70	P265/65R17	21	0.63	P285/60R18	24	0.70
P205/60R16	13	0.40	P275/65R17	22	0.66	P235/55R18	18	0.55
P215/60-16	15	0.43	P285/65R17	24	0.70	P255/55R18	21	0.61
P225/60-16	15	0.45	P215/60R17	15	0.45	P265/55R18	22	0.65
P235/60R16	16	0.49	P225/60R17	16	0.47	P275/55R18	23	0.68
P255/60R16	18	0.55	(P, LT)235/60R17	17	0.51	P285/55R18	24	0.72
(P, LT)285/60R16	22	0.65	P255/60R17	19	0.57	35x12.50R18LT	25	0.75
P195/55R16	13	0.38	P275/60R17	21	0.63	20" Rims		
P205/55R16	14	0.41	LT285/60-17	23	0.67	P275/60R20	24	0.70
P215/55R16	15	0.45	P215/55R17	16	0.47	P275/55R20	25	0.73
P225/55-16	16	0.47	P225/55R17	17	0.49	LT285/55R20	26	0.77
P235/55R16	17	0.50	P235/55R17	18	0.52	22.5" Rims		
245/55-16	18	0.53	P255/55R17	20	0.59	LT235/80-22.5	21	0.62
LT315/55R16	26	0.77	P265/55R17	21	0.63	LT255/80-22.5	23	0.67
LT345/55R16	30	0.89	P275/55R17	22	0.65	LT275/80-22.5	26	0.78
205-16LT	13	0.39	LT345/55R17	31	0.92	LT315/80-22.5	31	0.93
6.00-16LT	11	0.33	33x12.50R17LT	28	0.83	LT255/70-22.5	21	0.63
6.50-16LT, 6.50R16LT	12	0.36	35x12.50R17LT	30	0.89	24.5" Rims		
7.00-16LT	15	0.44	37x12.50R17LT	32	0.94	LT275/80-24.5	27	0.79
7.50-16LT, 7.50R16LT	16	0.47	38x13.50R17LT	36	1.05	LT285/75-24.5	29	0.87
8.25-16LT	18	0.54	17.5" Rims					
9.00-16LT	21	0.62	225/90-17.5LT	17	0.51			
16.5" Rims			205/80-17.5LT	15	0.44			
8.00-16.5LT, 8.00R16.5LT	13	0.38	225/80-17.5LT	16	0.48			
8.75-16.5LT, 8.75R16.5LT	15	0.44	195/70-17.5LT	13	0.39			
9.50-16.5LT, 9.50R16.5LT	17	0.50	205/70-17.5LT	14	0.42			

Highway Trucks and Busses

Rims 15" - 22.5"

	Ozs.		Liters			Ozs.		Liters	
	High-way	On/Off Road	High-way	On/Off Road		High-way	On/Off Road	High-way	On/Off Road
15" Rims					14.75/80R20	59	76	1.76	2.25
7.50-15 TR, 7.50-15 NHS	25	32	0.73	0.94	15.5/80-20	65	83	1.91	2.45
8.25-15 TR, 8.25-15 NHS	29	37	0.85	1.08	375/75-20	51	65	1.50	1.92
9.00-15	28	36	0.84	1.07	425/75-20	75	95	2.20	2.82
9.00-15 TR	33	42	0.98	1.25	15.50/70-20	62	79	1.82	2.33
10.00-15 TR	37	47	1.09	1.40	405/70-20	51	65	1.51	1.93
11.00-15 TR	40	51	1.19	1.52	14.00/70-20	50	63	1.47	1.88
16" Rims					17.50/65-20	70	90	2.07	2.65
13.50/85-16	25	31	0.73	0.93	7.00-20	26	33	0.76	0.98
13.50-16	52	66	1.52	1.95	7.20-20	23	30	0.69	0.88
16.00-16	52	67	1.54	1.97	7.50-20	29	37	0.85	1.09
38x20-16	69	88	2.04	2.62	8.25-20, 8.25R20	33	42	0.97	1.25
17" Rims					8.30-20	27	34	0.79	1.02
7.00-17	24	31	0.71	0.90	9.00-20, 9.00R20	38	48	1.12	1.43
7.50-17, 7.50R17	26	34	0.78	1.00	10.00-20, 10.00R20	42	54	1.24	1.59
8.25-17, 8.25R17	30	39	0.90	1.15	10.00-20ML	43	55	1.26	1.61
17.5" Rims					10.30-20	39	50	1.16	1.48
215/75R17.5	25	32	0.73	0.94	10.50-20	34	44	1.02	1.30
215/70-17.5	22	29	0.66	0.85	11.00-20	46	58	1.35	1.72
235/70-17.5	26	33	0.76	0.98	11.50-20, 11.50R20	46	59	1.36	1.74
205/60-17.5	20	26	0.59	0.76	12.00-20, 12.00R20	51	65	1.50	1.92
235/60-17.5	25	31	0.73	0.93	12.50-20	49	63	1.46	1.87
8.50R17.5	25	32	0.73	0.94	13.00-20, 13.00R20	57	73	1.69	2.17
14-17.5, 14R17.5	45	58	1.34	1.71	13.50-20	52	67	1.54	1.97
18" Rims					14.00-20, 14.00R20	66	85	1.97	2.52
7.00-18	25	31	0.73	0.93	14.50-20	56	71	1.65	2.11
7.50-18, 7.50R18	27	35	0.80	1.03	16.00R20	82	105	2.42	3.10
19.5" Rims					19.50-20	77	98	2.27	2.90
225/70R19.5	94	120	2.78	3.56	21" Rims				
245/70R19.5	30	38	0.88	1.13	14.00R21	66	85	1.97	2.52
265/70R19.5	32	42	0.96	1.23	14.50-21	71	91	2.11	2.70
285/70-19.5	36	46	1.07	1.37	16.00R21	82	105	2.42	3.10
305/70R19.5	40	52	1.19	1.52	18.00-21	77	98	2.26	2.90
445/65R19.5	68	87	2.01	2.58	23.00-21	110	141	3.26	4.18
8-19.5, 8R19.5	25	32	0.74	0.94	22" Rims				
9.00-19.5	29	38	0.87	1.11	8.20-22	28	36	0.84	1.07
15-19.5, 15R19.5	56	72	1.65	2.11	8.30-22	28	36	0.83	1.07
18-19.5, 18R19.5	71	90	2.09	2.67	9.50-22	34	44	1.01	1.30
19.5-19.5, 19.5R19.5	81	103	2.38	3.05	10.00-22	44	56	1.30	1.66
20" Rims					11.00-22, 11.00R22	48	61	1.41	1.80
10.00/90R20	41	52	1.20	1.54	12.00-22	51	65	1.51	1.94
395/85R20	67	86	1.98	2.53	22.5" Rims				
365/80R20	58	74	1.70	2.18	305/85R22.5	40	51	1.17	1.50
11.00/80-20	38	49	1.14	1.46	235/80R22.5	32	40	0.93	1.20
13.00/80-20	49	63	1.44	1.85	255/80R22.5	36	46	1.06	1.35
14/80R20	53	68	1.58	2.02	275/80R22.5	40	51	1.18	1.51

Highway Trucks and Busses

Rims 22.5" - 24.5"

	Ozs.		Liters	
	High-way	On/Off Road	High-way	On/Off Road
315/80R22.5	48	61	1.42	1.82
245/75R22.5	33	43	0.99	1.26
265/75R22.5	36	46	1.07	1.38
295/75R22.5	43	55	1.28	1.64
305/75R22.5	45	58	1.33	1.70
235/70-22.5	30	38	0.89	1.14
255/70R22.5	34	43	1.00	1.28
275/70-22.5	38	49	1.12	1.44
295/70-22.5	42	54	1.24	1.59
365/70-22.5	56	72	1.66	2.12
11.00/70-22.5	38	49	1.13	1.45
385/65R22.5	60	77	1.77	2.27
425/65R22.5	68	87	2.01	2.57
445/65R22.5	73	93	2.16	2.76
265/60-22.5	34	43	0.99	1.27
285/60-22.5	37	48	1.10	1.41
8-22.5, 8R22.5	27	35	0.80	1.03
9-22.5, 9R22.5	32	41	0.94	1.21
10-22.5, 10R22.5	37	47	1.09	1.40
11-22.5, 11R22.5	42	54	1.24	1.59
12-22.5, 12R22.5	46	60	1.37	1.76
12.50-22.5, 12.50R22.5	47	60	1.39	1.77
12.75-22.5, 12.75R22.5	48	62	1.43	1.83
13-22.5	53	67	1.56	1.99
15-22.5, 15R22.5	60	77	1.78	2.28
16.5-22.5, 16.5R22.5	69	88	2.03	2.60
18-22.5, 18R22.5	76	97	2.23	2.86
24" Rims				
11.00-24	50	64	1.47	1.88
12.00-24	55	71	1.63	2.09
14.00-24, 14.00R24	72	92	2.13	2.72
17.80-24	86	111	2.55	3.27
18.00-24	118	151	3.49	4.47
18.30-24	110	141	3.27	4.18
20.00-24	108	138	3.19	4.08
24.5" Rims				
275/80R24.5	42	54	1.24	1.59
285/75R24.5	42	54	1.26	1.61
305/75-24.5	47	60	1.39	1.78
11-24.5, 11R24.5	44	56	1.30	1.67
12-24.5, 12R24.5	49	62	1.44	1.84
13.5-24.5, 13.5R24.5	58	74	1.71	2.19

MISC. ABBREVIATIONS USED IN THIS SECTION

FI = Implement
 K = Compactor
 MH = Mobile Home
 ML = Mining Logging
 NHS = Not For Highway Service
 SL = Service Limited To Agricultural
 SS = Skid Steer
 ST = Special Tire
 TG = Tractor Grader

Main Chart
 (Industrial, Mining/Logging,
 Agricultural, etc.)

Rims 4" - 9"

	Ozs.	Liters		Ozs.	Liters
4" Rims					
2.80/2.50-4	5	0.16	5.00-8 NHS	19	0.57
9/3.50-4	5	0.16	5.70-8, 5.70-8 NHS	22	0.64
410/3.50-4	9	0.27	6.00-8	23	0.67
2.80-4 NHS	5	0.15	16.50-8	54	1.60
4.10-4 NHS	9	0.25	18.50-8	68	2.02
11x4.00-4NHS	9	0.26	15x 4 1/2 R 8	15	0.44
			16x5.50-8NHS	19	0.55
5" Rims			16x 6 R 8	20	0.60
3.40/3.00-5	9	0.26	16x6.5-8, 16x6.50-8NHS	21	0.62
4.10/3.50-5	10	0.31	16x7.50-8NHS	24	0.72
3.40-5 NHS	7	0.22	16.5x6.5-8	21	0.63
3.50-5	9	0.27	17x8-8	28	0.82
4.10-5 NHS	9	0.28	18x6.50-8NHS	23	0.69
11x4.00-5NHS	9	0.26	18x 7 R 8	25	0.74
11x6-5	13	0.39	18X7-8 NHS	25	0.73
13x5-5	13	0.39	18x7.50-8NHS	27	0.81
6" Rims			18x8.5-8, 18x8.50-8NHS	30	0.89
3.50-6	11	0.32	18x9-8 NHS	34	0.99
4.10/3.50-6	12	0.34	18x9.5-8, 18x9.50-8NHS	34	1.01
5.30/4.50-6	16	0.49	18.5x8.5-8	31	0.92
4.00-6	13	0.37	18.5x9.5-8	34	1.01
4.10-6 NHS	10	0.30	19x9.50-8NHS	36	1.08
5.30-6 NHS	16	0.47	19x10-8	39	1.14
8.00-6	28	0.84	20x7-8	28	0.84
12x11-6	28	0.83	20x8.00-8NHS	33	0.97
13x5.00-6NHS	12	0.36	20x9.00-8NHS	36	1.07
13x6.00-6NHS	16	0.47	20x10.00-8NHS	41	1.20
13x6.50-6NHS	17	0.50	20.5x7-8	29	0.86
14x4.50-6NHS	13	0.37	20.5x10-8	42	1.23
14x8-6 NHS	22	0.66	21x11.00-8NHS	46	1.37
15x6.00-6NHS	18	0.53	21x12-8	51	1.51
15x6.5-6	19	0.56	22x9-8	40	1.18
16x4.5-6	14	0.42	22x11.00-8NHS	49	1.44
7" Rims			22.5x10-8	42	1.25
450-7	15	0.44	9" Rims		
480-7	12	0.36	4.80/4.00-9	17	0.51
4.80/4.00-7	14	0.41	4.00-9SL	16	0.46
4.00-7	14	0.43	5.00-9	21	0.63
16x6.5-7	22	0.65	6.00 R 9	27	0.80
8" Rims			6.00-9 NHS	27	0.81
4.80/4.00-8	15	0.45	6.90-9, 6.90-9 NHS	30	0.89
5.70/5.00-8	22	0.65	6.00/6.90-9	29	0.86
4.00-8	14	0.42	6.90/6.00-9NHS	30	0.88
4.30-8	13	0.37	21x8-9 NHS	34	1.01
4.80-8, 4.80-8 NHS	16	0.47	21x9-9 NHS	39	1.14
5.00 R 8	19	0.57	22x12-9	54	1.58

Main Chart

(Industrial, Mining/Logging, Agricultural, etc.)

Rims 9" - 14"

	Ozs.	Liters		Ozs.	Liters
25x11-9	56	1.67	4.80-12, 4.80-12 NHS	20	0.59
25x12-9	61	1.80	5-12	21	0.62
25x13-9	66	1.95	5.30-12, 5.30-12 NHS	23	0.69
10" Rims			5.70-12 NHS	26	0.78
205/50-10, 205/50R10	30	0.88	6-12	28	0.83
3.00-10	14	0.42	7-12	37	1.09
3.50-10	17	0.50	7.00 R 12	41	1.20
4.00-10	17	0.51	7.00-12 NHS	41	1.22
4.50-10	21	0.62	8.25-12	51	1.50
5.00-10	23	0.67	22x7.5-12	33	0.98
6.00-10	27	0.80	23x8.50-12NHS, 23x8.50-12 SS	39	1.14
6.50 R 10	33	0.97	23x9-12	42	1.24
6.50-10, 6.50-10 NHS	33	0.99	23x9.50-12NHS	43	1.26
7.50L-10SL	40	1.20	23x10-12 NHS	48	1.41
7.50 R 10	42	1.24	23x10.50-12NHS, 23x10.50-12 SS	48	1.42
7.50-10, 7.50-10 NHS	41	1.22	23.5x8.5-12	40	1.18
9.00-10SL	51	1.51	23.5x11-12 NHS	52	1.55
9.00L-10 NHS	51	1.51	24x12-12 NHS, 24x12.00-12 NHS	58	1.73
9.00-10 NHS	52	1.55	24x13-12	61	1.81
15L-10 NHS	82	2.43	26x10-12	53	1.56
15.00-10	81	2.38	26x12.00-12NHS, 26x12.00-12 SS	63	1.85
18x10.5-10	37	1.10	27x10-12 NHS	55	1.61
19x8-10	31	0.91	26x14-12	74	2.19
20x7.5-10	30	0.89	26.5x14-12	76	2.26
20x8.00-10NHS	30	0.89	13" Rims		
20x10.00-10NHS	41	1.20	ST155/80(R, D)13	29	0.85
20.50-10	85	2.51	ST165/80(R, D)13	31	0.91
20.5x8.0-10	33	0.98	ST175/80(R, D)13	34	1.00
21x7.00-10NHS	30	0.88	ST185/80(R, D)13	36	1.07
21x8-10 NHS	34	1.01	6.00-13 NHS	32	0.95
22x10-10	45	1.32	6.50-13 ST	33	0.97
23x8-10 NHS	37	1.10	A78-13 ST	31	0.93
23x9-10 NHS	42	1.24	B78-13 ST	34	1.02
23x10-10	47	1.38	C78-13 ST	36	1.06
27x9-10 NHS	51	1.51	Y78-13	30	0.89
27x15-10 NHS	82	2.43	14" Rims		
11" Rims			ST195/75(R, D)14	40	1.18
23x8-11	37	1.10	ST205/75(R, D)14	42	1.25
24x9-11	43	1.28	ST215/75(R, D)14	46	1.36
24x10-11	49	1.44	4.50-14	25	0.74
12" Rims			5.00-14	24	0.70
10.00/70-12	53	1.56	6-14	31	0.90
4.80/4.00-12	20	0.59	6.00-14SL	37	1.08
3.00-12	13	0.37	7-14	40	1.18
4.00-12SL	19	0.56	7.50-14SL	42	1.24
4.50-12	21	0.62	8.5L-14SL	49	1.45

Main Chart
(Industrial, Mining/Logging,
Agricultural, etc.)

Rims 14" - 16"

	Ozs.	Liters		Ozs.	Liters
9.5L-14SL	56	1.66	9.00-15 NHS	74	2.20
11L-14SL	66	1.95	9.50-15FI	49	1.46
E78-14 ST	41	1.20	9.5L-15SL, 9.5L-15FI	59	1.76
F78-14 ST	42	1.26	10.00-15SL	74	2.18
G78-14 ST	46	1.37	10.00 R 15	79	2.35
H78-14 ST	49	1.45	10.00L-15 NHS	80	2.37
F70-14 ST	44	1.31	10.00-15 NHS	83	2.45
H70-14 ST	51	1.50	11L-15SL, 11L-15FI	71	2.11
23x8.50-14 SS	40	1.18	11.00-15 NHS	90	2.67
25x8.50-14NHS, 25x8.50-14 SS	44	1.29	12.5-15SL, 12.5-15FI	82	2.43
14.5" Rims			13.50-15FI	86	2.55
7.00-14.5MH	39	1.17	14.50L-15 NHS	104	3.08
8.00-14.5MH	45	1.34	E78-15 ST	40	1.18
9.00-14.5MH	54	1.60	F78-15 ST	43	1.27
15" Rims			G78-15 ST	45	1.34
8.5/90-15 K	54	1.60	H78-15 ST	49	1.46
ST205/75(R, D)15	44	1.30	25x7.50-15NHS	38	1.13
225/75-15	48	1.42	25x12.50-15NHS	62	1.85
235/75-15	54	1.60	27x8.50-15NHS	46	1.35
355/65-15	95	2.80	27x9.50-15NHS	49	1.46
9.50/65-15	50	1.47	27x10.50-15NHS	56	1.67
12.00/65-15	76	2.24	28x8-15	45	1.34
14.00/65-15	94	2.77	28x9-15 NHS	49	1.45
250-15 NHS	58	1.71	28x12-15 NHS	68	2.02
300-15 NHS	79	2.35	28x13-15 NHS	74	2.18
4.00-15SL	22	0.64	29x8-15 NHS	46	1.35
5.00-15SL	27	0.80	29x10-15	60	1.78
5.50-15	33	0.98	29x12.50-15NHS	72	2.14
5.70-15 NHS	30	0.88	29x14-15	82	2.44
5.90-15SL	32	0.96	30x8-15 NHS	49	1.44
6.00-15	36	1.07	31x12.50-15NHS	77	2.28
6.40-15SL	35	1.03	31x13.50-15NHS	86	2.55
6.70-15SL	38	1.11	31x15.50-15NHS	98	2.88
7.00 R 15	46	1.37	32x12-15 NHS	79	2.34
7.00-15 NHS, 7.00-15 SS	49	1.44	32x14.5-15	90	2.66
7.00L-15 NHS	46	1.36	32x15-15 NHS	94	2.79
7.5L-15SL	49	1.45	33x12.50-15NHS	82	2.43
7.50 R 15	52	1.52	35x15-15 NHS	104	3.08
7.50-15 TR, 7.50-15 NHS	55	1.61	36x11-15 NHS	80	2.37
7.60-15SL	45	1.32	36x13.50-15NHS	100	2.97
7.75-15 ST	39	1.16	38x16-15	123	3.65
8.25 R 15	62	1.82	57x8.5-15	98	2.91
8.25-15 SS	62	1.82	16" Rims		
8.25-15 TR, 8.25-15 NHS	63	1.86	ST215/80(R, D)16	51	1.51
8.55-15 ST	49	1.45	ST235/80(R, D)16	58	1.71
9.00-15	62	1.84	10.5/80-16	67	1.99

Main Chart

(Industrial, Mining/Logging, Agricultural, etc.)

Rims 16" - 20"

	Ozs.	Liters		Ozs.	Liters
12.50/70-16	84	2.49	17" Rims		
4.00-16	22	0.66	ST255/75(R, D)17	50	1.49
5.50-16SL	34	0.99	7.00-17	53	1.55
6-16	33	0.98	7.50-17, 7.50R17	58	1.72
6.00-16SL	37	1.09	8.25-17, 8.25R17	67	1.97
6.50-16SL	41	1.22	17.5" Rims		
6.50-16 NHS	42	1.24	8R17.5HC	52	1.53
7-16	43	1.26	9R17.5HC	61	1.80
7.20-16	44	1.31	10R17.5HC	71	2.11
7.50-16SL	52	1.53	11R17.5HC	81	2.41
7.50-16 NHS	56	1.66	14-17.5ML, 14.17.5 NHS	101	2.99
8-16	52	1.55	36x16-17.5NHS	117	3.46
8.00-16SL	54	1.59	18" Rims		
8.3-16	52	1.55	10.50/80-18	78	2.29
9.00-16SL	62	1.84	12.50/80-18	97	2.88
9.5-16	64	1.90	15.50/70-18	129	3.82
10.00-16SL	77	2.28	12.50/65-18	86	2.55
11L-16SL	74	2.18	15.5/60-18	119	3.52
11.00-16SL	96	2.83	4.00-18SL	24	0.70
11.20-16	99	2.92	6.00-18	40	1.18
12.00-16	101	2.99	7.00-18	54	1.60
12.4-16	95	2.80	7.50-18SL	55	1.62
12.5L-16SL	85	2.51	7.50-18, 7.50R18	60	1.77
13.6-16	109	3.23	8-18	56	1.65
16.1" Rims			9.50-18	68	2.01
14.5/75-16.1SL	110	3.26	10.00-18	77	2.27
13.50-16.1SL	113	3.35	11.00-18	100	2.96
13.60-16.1	112	3.30	13.00-18	120	3.56
14L-16.1SL	110	3.26	19" Rims		
16.5L-16.1SL	141	4.18	4.00-19SL	25	0.75
18.4-16.1	167	4.94	6.00-19	41	1.22
19L-16.1SL	165	4.88	19.5" Rims		
21.5-16.1	194	5.74	285/70-19.5	80	2.36
35x19-16.1	126	3.74	9.00-19.5	65	1.91
38x19-16.1	147	4.33	15-19.5ML, 15.19.5 NHS	125	3.68
38x20.00-16.1	152	4.49	18-19.5ML	158	4.66
16.5" Rims			40x19-19.5NHS	154	4.56
10.00-16.5 NHS	64	1.90	20" Rims		
12.00-16.5 NHS	80	2.38	275/85-20	99	2.94
12.50-16.5	86	2.54	260/80-20	92	2.71
30.5x12.5-16.5	74	2.18	275/80-20	96	2.84
31x11.5-16.5	72	2.14	315/80-20	118	3.48
31x12.5-16.5	80	2.36	335/80-20	123	3.63
33x14.5-16.5	97	2.87	345/80-20	134	3.96
35x14.5-16.5	103	3.05	11.00/80-20	100	2.96
37x12.5-16.5	94	2.78	15.5/80-20	168	4.97

Main Chart
(Industrial, Mining/Logging,
Agricultural, etc.)

Rims 20" - 24"

	Ozs.	Liters		Ozs.	Liters
375/75-20	132	3.91	20.5" Rims		
425/75-20	194	5.73	525/65-20.5	187	5.52
15.50/70-20	160	4.74	20.50-20.5	212	6.28
405/70-20	132	3.92	24.00-20.5	316	9.35
14.00/70-20	129	3.81	21" Rims		
17.50/65-20	182	5.39	130/90-21	38	1.13
7.00-20	67	1.99	12.00-21ML	134	3.97
7.20-20	60	1.78	14.00-21ML, 14.00R21ML	176	5.22
7.50-20SL	69	2.03	16.00-21NHS, 16.00R21NHS	223	6.60
8.25-20ML, 8.25-20 NHS	87	2.58	18.00-21	199	5.89
8.30-20	70	2.06	23.00-21	287	8.48
9.00-20 NHS	100	2.96	24.00-21	316	9.35
9.00-20ML	100	2.96	27.25-21	384	11.34
9.50-20SL	92	2.73	22" Rims		
10.00-20 NHS	111	3.28	7.50-22	75	2.21
10.00-20ML	111	3.28	8.20-22	74	2.18
10.30-20	102	3.02	8.30-22	73	2.17
10.50-20	89	2.64	9.50-22	89	2.64
11.00 R 20	115	3.40	10.00-22ML	116	3.44
11.00-20 NHS, 11.00-20ML	120	3.56	11.00-22ML	126	3.73
11.00-20SL	125	3.70	12.00-22	133	3.93
11.10-20	108	3.18	22.5" Rims		
11.20-20	109	3.21	235/70-22.5	78	2.31
12.00-20 NHS, 12.00R20 NHS	134	3.97	275/70-22.5	99	2.92
12.00-20ML	134	3.97	295/70-22.5	109	3.23
12.50-20	129	3.80	365/70-22.5	146	4.31
13.00-20TG	145	4.30	11.00/70-22.5	100	2.95
13.50-20	135	4.00	265/60-22.5	87	2.58
14.00-20TG	168	4.96	285/60-22.5	97	2.86
14.00-20ML, 14.00R20ML	176	5.22	9-22.5ML, 9-22.5 NHS	84	2.49
14.00-20 NHS, 14.00R20 NHS	176	5.22	10-22.5ML, 10-22.5 NHS	98	2.90
14.50-20	145	4.29	11-22.5ML, 11-22.5 NHS	111	3.30
18L-20 NHS	190	5.62	12-22.5ML, 12-22.5 NHS	123	3.64
19.50-20	199	5.89	13-22.5	137	4.05
38x14.00-20NHS	131	3.87	13-22.5 NHS	140	4.13
38x18.00-20NHS	168	4.98	15-22.5ML	158	4.68
38x20-20	187	5.53	16.5-22.5ML	181	5.35
41x14.00-20NHS	141	4.17	18-22.5ML	199	5.89
42x17-20	172	5.10	23.5" Rims		
42x25.00-20NHS	250	7.39	23.00-23.5	287	8.48
44x18.00-20NHS	194	5.75	24" Rims		
44x41.00-20NHS	421	12.45	320/75R24	130	3.83
47x25-20	282	8.34	420/70R24	187	5.52
48x25.00-20NHS	294	8.69	7.20-24	64	1.90
48x31.00-20NHS	359	10.60	7.50-24SL	82	2.42
			8.3-24	78	2.30

Main Chart

(Industrial, Mining/Logging, Agricultural, etc.)

Rims 24" - 26"

	Ozs.	Liters		Ozs.	Liters
9.00-24SL	111	3.27	555/65R25	281	8.31
9.5-24	94	2.78	560/65-25	281	8.31
10.00R24TG	121	3.58	22/65R25	281	8.31
10.00-24ML	121	3.59	650/55R25	320	9.46
11.00-24ML	132	3.89	25/55R25	385	11.38
11.00-24SL	137	4.05	1000/50R25	599	17.73
11.2-24	117	3.45	66/43.00-25	681	20.13
11.25-24SL	142	4.19	67/34.00-25	546	16.16
12.00-24TG, 12.00R24TG	142	4.21	11.00-25ML	134	3.96
12.00-24ML, 12.00-24 NHS	146	4.32	12.00-25ML	146	4.32
12.00-24 NHS, 12.00R24 NHS	146	4.32	13.00-25	169	5.01
12.4-24	136	4.01	14.00-25ML, 14.00R25ML	190	5.63
13.00-24TG, 13.00R24TG	158	4.67	14.00-25NHS, 14.00R25NHS	190	5.63
13.00-24ML, 13.00R24ML	165	4.87	15.5-25, 15.5R25	187	5.53
13.00-24 NHS, 13.00R24 NHS	170	5.02	16.00-25, 16.00R25	240	7.09
13.6-24, 13.6R24	155	4.59	17.5-25, 17.5R25	223	6.59
14.00-24TG, 14.00R24TG	181	5.37	18.00-25, 18.00R25	299	8.85
14.00-24ML, 14.00R24ML	190	5.63	20.5-25, 20.5R25	289	8.55
14.00-24 NHS, 14.00R24 NHS	190	5.63	21.00-25, 21.00R25	372	11.00
14.9-24, 14.9R24	178	5.27	22-25	281	8.30
15.00-24	193	5.71	23.5-25, 23.5R25	359	10.62
16.00-24TG, 16.00R24TG	232	6.85	24.00-25	455	13.45
16.9-24, 16.9R24	213	6.29	26.00-25	426	12.60
17.5L-24, 17.5LR24	209	6.18	26.5-25, 26.5R25	438	12.95
17.80-24	225	6.64	29.5-25, 29.5R25	522	15.44
18.00-24	307	9.08	61x18-25	287	8.48
18.30-24	287	8.49	66x43.00-25NHS	667	19.73
18.4-24	243	7.19	66x44.00-25NHS	707	20.91
19.5L-24, 19.5LR24	247	7.29	67x34.00-25NHS	555	16.40
20.00-24	280	8.28	26" Rims		
21L-24	278	8.22	620/75R26	369	10.92
48x20.00-24NHS	212	6.26	650/75-26	389	11.49
24.5" Rims			750/65-26	465	13.75
305/75-24.5	122	3.62	8.30-26	82	2.42
11.00-24.5ML	117	3.45	9.50-26	99	2.91
25" Rims			11.20-26	122	3.61
385/95R25	195	5.77	12.40-26	142	4.19
445/95R25	242	7.15	13.6-26	161	4.78
505/95-25	294	8.70	14.9-26, 14.9R26	185	5.48
23/90-25	358	10.59	16.9-26, 16.9R26	221	6.53
445/80R25	222	6.57	18.00-26TG	324	9.57
525/80R25	291	8.61	18.4-26, 18.4R26	256	7.58
605/80R25	366	10.82	23.1-26	356	10.53
685/80-25	536	15.86	24.00-26	334	9.88
25/65R25	351	10.38	28L-26, 28LR26	437	12.91
30/65R25	469	13.88	54x31.00-26NHS	402	11.90

Main Chart
(Industrial, Mining/Logging,
Agricultural, etc.)

Rims 26" - 36"

	Ozs.	Liters
66x43.00-26NHS	667	19.73
67x34.00-26NHS	555	16.40
28" Rims		
380/85R28	192	5.68
420/85R28	222	6.57
440/80R28	232	6.88
380/70R28	176	5.20
420/70R28	202	5.98
480/70R28	247	7.29
600/65R28	328	9.70
11.2-28	127	3.77
11.25-28SL	154	4.55
11.90-28	134	3.95
12.4-28	148	4.36
13.6-28, 13.6R28	168	4.98
14.9-28, 14.9R28	192	5.69
16.9-28, 16.9R28	229	6.77
18.4-28, 18.4R28	261	7.71
21.00-28	292	8.64
29" Rims		
30/65-29, 30/65R29	498	14.73
17.50-29	235	6.96
24.00-29	479	14.18
26.5-29, 26.5R29	463	13.70
29.5-29, 29.5R29	550	16.27
33.25-29, 33.25R29	656	19.41
30" Rims		
420/90R30	237	7.00
380/85R30	199	5.90
480/70R30	256	7.58
600/700R30	353	10.43
540/65R30	300	8.87
6.00-30	61	1.80
7.20-30	73	2.15
12.40-30	153	4.54
14.9-30, 14.9R30	200	5.90
16.9-30, 16.9R30	241	7.13
18.4-30	274	8.11
23.1-30	372	11.01
67x34.00-30NHS	555	16.40
32" Rims		
500/95-32	340	10.07
650/75R32	429	12.69
800/65R32	550	16.26
VA 1050/50R32	726	21.48
9.5-32	112	3.32

	Ozs.	Liters
12.4-32	159	4.72
16.90-32	236	6.98
24.5-32, 24.5R32	424	12.53
30.5L-32, 30.5LR32	532	15.73
33.50-32	590	17.44
35.5-32	664	19.64
68x50.00-32	828	24.47
73x44.00-32	781	23.10
73x50.00-32	888	26.25
74x44-32	786	23.25
33" Rims		
35/65-33, 35/65R33	671	19.84
65/35-33	687	20.31
18.00-33, 18.00R33	337	9.97
27.00-33	635	18.79
30.00-33	759	22.46
33.5-33, 33.5R33	709	20.98
37.5-33, 37.5R33	846	25.02
34" Rims		
250/95R34	125	3.71
290/95R34	153	4.51
320/85R34	167	4.95
380/85-34	214	6.32
385/85R34	218	6.45
420/85R34	246	7.27
480/85R34	300	8.86
650/75R34	441	13.05
710/75R34	514	15.20
480/70R34	274	8.11
520/70R34	305	9.03
540/65R34	321	9.50
11.2-34	143	4.23
14.9R34	214	6.32
16.9-34, 16.9R34	253	7.49
18.4-34, 18.4R34	292	8.63
20.8-34, 20.8R34	340	10.06
23.1-34, 23.1R34	395	11.67
35" Rims		
21.00-35, 21.00R35	426	12.59
24.00-35, 24.00R35	516	15.27
29.5-35, 29.5R35	593	17.53
33.25-35, 33.25R35	704	20.82
37.25-35, 37.25R35	840	24.86
36" Rims		
9.5-36	121	3.59
11.2-36	149	4.40

Main Chart

(Industrial, Mining/Logging, Agricultural, etc.)

Rims 36" - 56.5"

	Ozs.	Liters		Ozs.	Liters
12.4-36	171	5.07	43" Rims		
13.6-36	193	5.70	24.00-43	579	17.13
13.90-36	195	5.76	45" Rims		
14.90-36	222	6.55	45/65-45, 45/65R45	1137	33.62
16.90-36	241	7.13	65/45-45	1117	33.02
38" Rims			46" Rims		
290/90R38	160	4.73	320/90R46	208	6.14
320/85R38	180	5.31	380/90R46	262	7.76
520/85R38	355	10.48	340/85R46	222	6.58
380/80R38	223	6.59	520/85R46	393	11.64
480/80R38	309	9.14	420/80R46	287	8.47
520/70R38	325	9.61	480/80R46	345	10.22
580/70R38	381	11.27	620/70R46	473	14.00
710/70R38	522	15.42	13.6-46	227	6.72
800/70R38	618	18.29	14.9R46	257	7.59
11.2-38	154	4.56	18.4R46	340	10.06
12.4-38	177	5.24	48" Rims		
13.6-38	201	5.95	230/95R48	141	4.16
14.9-38	228	6.75	49" Rims		
15.5-38, 15.5R38	230	6.79	18.00-49	412	12.19
16.9-38, 16.9R38	270	7.97	21.00-49	501	14.83
18.4-38, 18.4R38	305	9.02	24.00-49, 24.00R49	603	17.82
20.8-38, 20.8R38	360	10.65	27.00-49, 27.00R49	725	21.45
39" Rims			50" Rims		
40.5/75R39	987	29.19	250/95R50	163	4.82
41.25/70-39	955	28.24	320/90R50	220	6.50
40/65-39, 40/65R39	889	26.28	380/90R50	277	8.18
45/65R39	1072	31.70	480/80R50	364	10.75
65/40-39	923	27.29	51" Rims		
33.5-39, 33.5R39	758	22.41	49/75-51	1533	45.33
37.5-39, 37.5-39	900	26.62	50/65-51, 50/65R51	1415	41.86
38-39	874	25.84	30.00-51, 30.00R51	871	25.76
42" Rims			33.00-51, 33.00R51	996	29.47
290/90R42	171	5.06	36.00-51, 36.00R51	1163	34.38
320/90R42	196	5.78	37.5-51, 37.5R51	1008	29.81
520/85R42	372	11.01	67-51	2167	64.08
480/80R42	327	9.68	53" Rims		
580/70R42	403	11.92	39/90-53	1253	37.04
620/70R42	450	13.30	54" Rims		
710/70R42	549	16.22	320/90R54	232	6.86
650/65R42	459	13.57	380/90R54	291	8.61
900/50R42	648	19.16	12.4R54	225	6.65
9.5-42	134	3.98	56.5" Rims		
12.4-42	189	5.60	27.00-56.5	603	17.82
18.4-42, 18.4R42	323	9.54	30.00-56.5	725	21.45
20.8-42, 20.8R42	380	11.24			

Main Chart
(Industrial, Mining/Logging,
Agricultural, etc.)

Rims 57" - 59.5"

	Ozs.	Liters
57" Rims		
50/80-57	1667	49.29
37.00R57	1273	37.65
40.00-57, 40.00R57	1438	42.54
49.5-57	1697	50.20
59.5" Rims		
33.00-59.5	855	25.28
36.00-59.5	1002	29.63
39.00-59.5	1145	33.85

All Terrain Vehicles

	Ozs.	Liters		Ozs.	Liters
7" Rims					
AT16x8-7	13	0.38	AT23x12-9	28	0.81
AT18x7-7	13	0.37	AT24x11-9	27	0.79
AT18x8-7	14	0.43	AT24x13-9	31	0.92
8" Rims			AT25x11-9	28	0.82
AT16x6.50-8	10	0.28	AT25x12-9	30	0.89
AT16x7.50-8	12	0.35	AT25x13-9	31	0.91
AT18x5.50-8	10	0.28	10" Rims		
AT18x8.5-8	15	0.45	AT18x10-10	18	0.53
AT18x9.5-8	17	0.51	AT18x11-10	20	0.59
AT18x10-8	18	0.53	AT19x6-10	12	0.34
AT18x11-8	20	0.59	AT20x7-10	14	0.41
AT19x8-8	15	0.45	AT20x8-10	16	0.48
AT19x9-8	17	0.50	AT20x10-10	20	0.59
AT20x7-8	14	0.41	AT20x11-10	22	0.65
AT20x8-8	15	0.44	AT21x7-10	15	0.43
AT20x9-8	18	0.53	AT21x10-10	21	0.62
AT20x9.5-8	16	0.47	AT21x12.5-10	25	0.74
AT20x10-8	21	0.62	AT22x7-10	15	0.45
AT20x11-8	46	1.35	AT22x8-10	18	0.52
AT21x7-8	15	0.44	AT22x9-10	20	0.58
AT21x9-8	19	0.55	AT22x10-10	22	0.65
AT21x11-8	23	0.69	AT22x11-10	24	0.72
AT21x12-8	25	0.74	AT23x7-10	16	0.47
AT21x12.5-8	28	0.82	AT23x8-10	18	0.55
AT22x9-8	20	0.58	AT23x10-10	23	0.68
AT22x10-8	22	0.65	AT24x11-10	27	0.79
AT22x11-8	24	0.72	AT24x12-10	27	0.81
AT22x12-8	24	0.71	AT25x8-10	20	0.59
AT22.5x10-8	21	0.61	AT25x11-10	28	0.82
AT23x10-8	23	0.68	AT25x12-10	30	0.89
9" Rims			11" Rims		
AT18x11-9	20	0.59	AT22x7-11	15	0.45
AT20x7-9	14	0.41	AT23x8-11	18	0.55
AT20x10-9	20	0.59	AT24x8-11	19	0.57
AT20x11-9	22	0.65	AT24x9-11	21	0.64
AT21x7-9	14	0.42	AT24x10-11	24	0.71
AT21x8-9	17	0.50	12" Rims		
AT21x11-9	23	0.69	AT23x8-12	18	0.55
AT21x12.5-9	27	0.81	AT23x10-12	23	0.68
AT22x7-9	15	0.45	AT24x8-12	19	0.57
AT22x8-9	18	0.52	AT24x9-12	22	0.65
AT22x10-9	22	0.65	AT25x8-12	20	0.59
AT22x11-9	24	0.72	AT25x10-12	25	0.74
AT23x11-9	25	0.75			

Motorcycles and Scooters

Rims 6" - 17"

	Ozs.	Liters		Ozs.	Liters		Ozs.	Liters
6" Rims			180/80-14	15	0.43	2.75-16	5	0.15
130/90-6	7	0.20	2.25-14	4	0.10	3.00-16	6	0.17
145/70-6	6	0.19	2.50-14	4	0.12	3.50-16	7	0.20
5.4-6	6	0.19	2.75-14	5	0.14	4.60-16	8	0.25
8" Rims			3.00-14	5	0.15	T90-16	10	0.31
70/100-8	3	0.09	3.60-14	5	0.15	U90-16	12	0.34
3.00-8	4	0.11	5.4-14	10	0.29	R85-16	9	0.26
3.50-8	4	0.13	15" Rims			17" Rims		
4.00-8	5	0.16	130/90-15	10	0.29	70/100-17	5	0.14
10" Rims			140/90-15	11	0.33	100/100-17	9	0.26
80/100-10	4	0.12	150/90-15	12	0.36	110/100-17	10	0.31
90/100-10	5	0.14	140/80-15	11	0.32	80/90-17	6	0.17
80/90-10	4	0.12	150/80-15	12	0.34	90/90-17	7	0.20
90/90-10	5	0.14	160/80-15	13	0.38	100/90-17	8	0.23
100/90-10	5	0.16	170/80-15	14	0.41	110/90-17	9	0.25
110/90-10	6	0.18	140/70-15	10	0.30	120/90-17	10	0.28
120/90-10	7	0.21	2.50-15	4	0.12	130/90-17	11	0.32
130/90-10	8	0.24	2.75-15	5	0.15	90/80-17	6	0.19
90/80-10	4	0.13	U90-15	11	0.34	100/80-17	7	0.22
110/80-10	6	0.17	V90-15	12	0.36	110/80-17	8	0.24
120/80-10	7	0.19	V85-15	13	0.38	120/80-17	9	0.27
2.50-10	3	0.09	16" Rims			130/80-17	10	0.30
2.75-10	4	0.10	80/100-16	6	0.17	140/80-17	12	0.34
3.00-10	4	0.13	90/100-16	8	0.24	150/80-17	13	0.37
3.50-10	5	0.15	80/90-16	5	0.16	100/70-17	7	0.21
4.00-10	6	0.18	90/90-16	6	0.19	110/70-17	8	0.24
5.4-10	8	0.24	100/90-16	7	0.22	120/70-17	9	0.27
6.7-10	11	0.34	110/90-16	8	0.24	130/70-17	10	0.29
12" Rims			120/90-16	9	0.27	140/70-17	11	0.32
80/100-12	7	0.22	130/90-16	10	0.30	150/70-17	12	0.35
110/100-12	7	0.21	140/90-16	12	0.34	160/70-17	13	0.39
90/90-12	5	0.15	100/80-16	7	0.21	120/60-17	9	0.26
100/90-12	6	0.19	110/80-16	8	0.23	130/60-17	9	0.28
110/90-12	7	0.20	120/80-16	9	0.26	140/60-17	10	0.31
120/80-12	7	0.22	130/80-16	10	0.29	150/60-17	11	0.33
130/70-12	8	0.23	140/80-16	11	0.33	160/60-17	12	0.37
2.75-12	4	0.12	150/80-16	12	0.36	170/60-17	13	0.39
3.00-12	5	0.14	160/80-16	13	0.39	160/55-17	12	0.36
4.00-12	7	0.20	120/70-16	8	0.25	170/55-17	13	0.39
4.50-12	9	0.26	130/70-16	9	0.28	180/55-17	14	0.41
6.7-12	12	0.37	180/70-16	15	0.43	180/50-17	14	0.40
14" Rims			2.00-16	3	0.10	190/50-17	15	0.43
90/100-14	7	0.21	2.25-16	4	0.12	2.00-17	3	0.10
90/90-14	6	0.17	2.50-16	4	0.13	2.25-17	4	0.12

Motorcycles and Scooters

Rims 17" - 23"

	Ozs.	Liters		Ozs.	Liters		Ozs.	Liters
2.50-17	5	0.14	3.25-18	7	0.21	80/90-21	7	0.20
2.75-17	5	0.16	3.50-18	7	0.22	90/90-21	8	0.23
3.00-17	6	0.18	3.60-18	8	0.23	80/80-21	7	0.19
3.25-17	7	0.20	4.00-18	9	0.26	100/80-21	9	0.26
3.50-17	8	0.25	4.10-18	8	0.24	2.50-21	5	0.16
4.50-17	10	0.31	4.25-18	9	0.27	2.75-21	6	0.19
4.60-17	9	0.26	4.50-18	10	0.28	3.00-21	7	0.21
5.00-17	11	0.32	4.60-18	9	0.27	3.25-21	9	0.28
5.10-17	10	0.31	5.10-18	11	0.32	H90-21	7	0.20
S90-17	10	0.29	J90-18	7	0.20	23" Rims		
T90-17	10	0.29	L90-18	7	0.21	3.00-23	8	0.23
18" Rims			M90-18	7	0.22			
90/100-18	7	0.21	N90-18	9	0.25			
100/100-18	10	0.30	P90-18	9	0.26			
110/100-18	11	0.32	R90-18	10	0.31			
120/100-18	11	0.33	P85-18	9	0.26			
90/90-18	7	0.20	S85-18	10	0.30			
100/90-18	8	0.24	T85-18	11	0.33			
110/90-18	9	0.26	T80-18	11	0.31			
120/90-18	10	0.29	19" Rims					
130/90-18	11	0.33	70/100-19	6	0.19			
4.25/85-18	9	0.27	90/100-19	7	0.22			
100/80-18	8	0.23	100/100-19	10	0.30			
110/80-18	9	0.25	110/100-19	11	0.34			
120/80-18	10	0.28	70/90-19	5	0.15			
130/80-18	11	0.31	90/90-19	7	0.21			
140/80-18	13	0.37	100/90-19	8	0.25			
150/80-18	13	0.38	110/90-19	9	0.27			
120/70-18	9	0.28	120/90-19	12	0.35			
130/70-18	10	0.30	110/80-19	9	0.27			
140/70-18	11	0.34	2.00-19	4	0.12			
150/70-18	12	0.36	2.50-19	5	0.15			
160/70-18	14	0.40	2.75-19	6	0.18			
130/60-18	10	0.29	3.00-19	6	0.19			
140/60-18	11	0.32	3.25-19	8	0.22			
150/60-18	12	0.35	3.50-19	8	0.23			
160/60-18	13	0.38	3.60-19	7	0.22			
170/60-18	14	0.41	4.10-19	8	0.25			
180/55-18	14	0.43	J90-19	7	0.21			
180/50-18	14	0.42	L90-19	7	0.22			
2.25-18	4	0.13	M90-19	8	0.23			
2.50-18	5	0.14	21" Rims					
2.75-18	6	0.17	70/100-21	6	0.17			
3.00-18	6	0.18	80/100-21	7	0.20			

	Ozs.	Liters
12" Rims		
1.75-12	2	0.06
2.00-12	3	0.09
2.75-12	3	0.09
12.5" Rims		
2.5-12.5	3	0.09
14" Rims		
1.00-14	2	0.06
1.5-14	2	0.06
1.75-14	2	0.06
2.00-14	3	0.09
2.25-14	3	0.09
16" Rims		
1.00-16	2	0.06
1.50-16	2	0.06
1.75-16	3	0.09
2.00-16	3	0.09
2.25-16	4	0.12
18" Rims		
1.00-18	2	0.06
1.50-18	3	0.09
1.75-18	3	0.09
2.00-18	4	0.12
2.50-18	4	0.12
20" Rims		
1.00-20	2	0.06
1.50-20	3	0.09
1.75-20	4	0.12
2.00-20	4	0.12
2.125-20	5	0.15
2.25-20	5	0.15
22" Rims		
3/8-22	3	0.09
11/2-22	4	0.12
13/4-22	4	0.12
24" Rims		
1.00-24	2	0.06
13/8-24	3	0.09
11/2-24	4	0.12
1.75-24	4	0.12
2.00-24	5	0.15
2.25-24	5	0.15
25" Rims		
13/8-25	4	0.12

	Ozs.	Liters
26" Rims		
1.00-26	3	0.09
13/8-26	4	0.12
1.40-26	4	0.12
1.50-26	5	0.15
13/4-26	5	0.15
2.00-26	5	0.15
2.125-26	5	0.15
2.25-26	5	0.15
21/2-26	5	0.15
3.00-26	5	0.15
27"		
13/16-27	3	0.09
1.00-27	3	0.09
11/8-27	3	0.09
11/4-27	3	0.09
13/8-27	5	0.15
1.75-27	5	0.15

